

Colanyl Black N 530

Page 1

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

SECTION 1. IDENTIFICATION

Identification of the Heubach Colorants USA LLC

company: 5500 77 Center Drive, Suite 120/140

Charlotte, NC, 28217

Telephone No.: +1 510 446 87 62

Information of the substance/preparation:

Product Stewardship, +1-704-331-7039 e-mail: SDS.PI.NORAM@heubach.com

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: Colanyl Black N 530

Material number: 311383

Primary product use: Colourant preparation

Chemical family: C.I. Pigment Black 7 in aqueous dispersion containing polyglycol.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 7	1333-86-4	>= 30 - < 50

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.



Page 2

Colanyl Black N 530

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed : If conscious, give the victim plenty of water to drink.

Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Dry powder

Carbon dioxide (CO2) Alcohol-resistant foam

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

In case of fire hazardous decomposition products may be

produced such as: Carbon oxides

Nitrogen oxides (NOx)

Further information : Wear suitable protective equipment.

Special protective equipment:

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

Contain spill. Small spills may be flushed to the sewer or absorbed on suitable absorbants. Larger spills should be

collected as liquid or absorbed. Clean-up may be

accomplished by flushing with water if appropriate or remove

contaminated soils. place in appropriate containers.

Environmental precautions : The product should not be allowed to enter drains, water

courses or the soil.



Colanyl Black N 530

Page 3

Revision Date: 04/24/2023 Substance key: 000000769422 Version: 1-4/USA Date of printing:05/22/2024

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Treat recovered material as described in the section "Disposal

considerations".

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Avoid contact with skin, eyes and clothing.

Wash thoroughly after handling.

Further information on storage conditions

Store in original container.

Keep container tightly closed.

Store in a cool, dry, well-ventilated area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Black 7	1333-86-4	TWA (Inhalable particulate matter)	3 mg/m3	ACGIH
		TWA	3.5 mg/m3	NIOSH REL
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA	0.1 mg/m3 (PAHs)	NIOSH REL

Engineering measures A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational

Exposure Limits (OEL).

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled

release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide



Colanyl Black N 530

Page 4

Substance key: 000000769422 Revision Date: 04/24/2023 Version: 1-4/USA Date of printing:05/22/2024

adequate protection.

Hand protection

Remarks Butyl Rubber, PVC Or Neoprene.

Eye protection Safety glasses with side-shields

Skin and body protection Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Protective measures : Wear suitable protective equipment.

Wash hands before breaks and at the end of workday. Hygiene measures

> Use protective skin cream before handling the product. Take off immediately all contaminated clothing and wash it

before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour black

Odour not significant

Odour Threshold not determined

6.8 (68 °F / 20 °C) рΗ

Concentration: 100 %

Determined in the undiluted form

Melting point : no data available

approx. 212 °F / 100 °C **Boiling** point

(1,013 hPa)

Flash point not determined

Evaporation rate not determined

Flammability (solid, gas) Not applicable

Burning number Not applicable

Upper explosion limit / upper

flammability limit

not determined

Lower explosion limit / Lower : not determined

flammability limit



Colanyl Black N 530

Page 5

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Vapour pressure : not determined

Relative vapour density : not determined

Relative density : no data available

Density : 1.29 g/cm3 (68 °F / 20 °C)

Bulk density : no data available

Solubility(ies)

Water solubility : miscible

Solubility in other solvents : not determined

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : not determined

Decomposition temperature : $> 212 \, ^{\circ}\text{F} \, / > 100 \, ^{\circ}\text{C}$

with dehydration

Viscosity

Viscosity, dynamic : 780 mPa.s (73 °F / 23 °C)

Viscosity, kinematic : not determined

Explosive properties : no data available

Oxidizing properties : no data available

Surface tension : no data available

Molecular weight : no data available

Metal corrosion rate : no data available

Minimum ignition energy : not determined

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Stable

Conditions to avoid : None known.



Colanyl Black N 530

Page 6

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Incompatible materials : no data available

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact Eye contact

Acute toxicity

Product:

Acute oral toxicity : Remarks: no data available

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : Remarks: no data available

Components:

C.I. Pigment Black 7:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Remarks: No significant adverse effects were reported

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403 GLP: No information available.

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : Remarks: not required

Skin corrosion/irritation

Product:

Remarks : no data available

Components:

C.I. Pigment Black 7:

Species : Rabbit Exposure time : 4 - 24 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no



Colanyl Black N 530

Page 7

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Serious eye damage/eye irritation

Product:

Remarks : no data available

Components:

C.I. Pigment Black 7:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

GLP : no

Respiratory or skin sensitisation

Product:

Remarks : no data available

Components:

C.I. Pigment Black 7:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406
Result : Not a skin sensitizer.

GLP : yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: no data available

Germ cell mutagenicity -

Assessment

: No information available.

Components:

C.I. Pigment Black 7:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: In vitro gene mutation study in mammalian cells

Test system: Rodent cell line Metabolic activation: without Method: OECD Test Guideline 476

Result: positive

GLP: No information available.



Colanyl Black N 530

Page 8

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Test Type: Micronucleus test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative GLP: yes

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Product:

Carcinogenicity - Assessment

No information available.

Components:

C.I. Pigment Black 7:

Remarks : Carbon Black should not be classified for carcinogenicity

according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals. Human health studies show that exposure to carbon black does not increase the risk of carcinogenicity. Studies in laboratory animals show that lung tumors are induced in rats as a result of repeated exposure to inert, poorly soluble particles like carbon black and other poorly soluble particles. Rat tumors are a result of a secondary non-genotoxic mechanism associated with the phenomenon of lung overload. This is a species-specific mechanism that has questionable relevance for classification in humans. Thus a carcinogenicity classification for Carbon

Black is not warranted.

Carcinogenicity - Assessment

: Not classifiable as a human carcinogen.

IARC Group 2B: Possibly carcinogenic to humans

C.I. Pigment Black 7 1333-86-4

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Product:

Reproductive toxicity -

Assessment

: No information available.



Colanyl Black N 530

Page 9

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Components:

C.I. Pigment Black 7:

Effects on foetal : Test Type: Pre-natal

development Species: Rabbit, male and female

Strain: New Zealand white Application Route: Inhalation Dose: 10% diesel exhaust emission Duration of Single Treatment: 12 d Method: OECD Test Guideline 414

Result: No effects on fertility and early embryonic

development were detected.

GLP: no

Remarks: By analogy with a product of similar composition

Reproductive toxicity -

Assessment

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

STOT - single exposure

Product:

Remarks : no data available

Components:

C.I. Pigment Black 7:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Product:

Remarks : no data available

Components:

C.I. Pigment Black 7:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

C.I. Pigment Black 7:

Species : Rat, female
NOAEL : 52 mg/kg bw/day
Application Route : oral (feed)
Exposure time : 1 a - 2 a



Colanyl Black N 530

Page 10

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Number of exposures : daily

Dose : 2,05 g/kg of chow diet

Control Group : yes Method : Other

GLP : No information available.

Remarks : No adverse effect has been observed in chronic toxicity tests.

Species : Rat, male
NOAEL : 0.0011 mg/l
LOAEL : 0.0071 mg/l
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 13 w

Number of exposures : 6 h per day; 5 d per week Dose : 1,1 - 7,1 - 52,8 mg/m3

Control Group : yes Method : Other

GLP : No information available.

Species : Mouse, male and female

Application Route : Skin contact Exposure time : 12-18 m

Number of exposures : 3 times per week

Dose : 20% carbon black suspensions

Control Group : yes
Method : Other
GLP : no

Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Product:

no data available

Components:

C.I. Pigment Black 7:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: no data available



Colanyl Black N 530

Page 11

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: no data available

Toxicity to algae/aquatic

plants

Remarks: no data available

Toxicity to fish (Chronic

toxicity)

Remarks: no data available

Toxicity to microorganisms : Remarks: no data available

Components:

C.I. Pigment Black 7:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1,000 mg/l

End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5,600 mg/l

End point: Immobilization Exposure time: 24 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: ves

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 10,000

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to fish (Chronic

toxicity)

Remarks: not required

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

Remarks: not required

Toxicity to microorganisms : EC0 (activated sludge): > 400 mg/l

End point: Bacteria toxicity (growth inhibition)



Colanyl Black N 530

Page 12

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Exposure time: 3 h Test Type: static test Method: DIN 38412

GLP: no

Toxicity to soil dwelling

organisms

Test Type: Other

Method: Other

GLP: No information available. Remarks: This product does not have any known adverse

effect on the soil organisms tested.

Persistence and degradability

Product:

Biodegradability : Remarks: Not applicable

Components:

C.I. Pigment Black 7:

Biodegradability : Remarks: Not applicable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: no data available

Components:

C.I. Pigment Black 7:

Bioaccumulation : Remarks: Not applicable

Mobility in soil

Components:

C.I. Pigment Black 7:

Distribution among environmental compartments

Adsorption/Soil Medium: water - soil Remarks: Not applicable

Other adverse effects

Product:

Environmental fate and

pathways

Remarks: no data available

Additional ecological

information

: The product should not be allowed to enter drains, water

courses or the soil.

Components:

C.I. Pigment Black 7:



Colanyl Black N 530

Page 13

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Environmental fate and

pathways

not available

Results of PBT and vPvB

assessment

The substance is not identified as a PBT or as a vPvB

substance.

Additional ecological

information

: Do not allow to enter ground water, waterways or waste water.

This product, if discarded as sold, is not a Federal RCRA

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource

Conservation and Recovery

Authorization Act Waste Code

Authorization Act

: NONE

hazardous waste.

Waste from residues

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of as product waste.

Contaminated packaging

This material and its container must be disposed of in a safe

way.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards



Colanyl Black N 530

Page 14

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the

TSCA Inventory Notification (Active) rule.

SECTION 16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -



Colanyl Black N 530

Page 15

 Substance key: 000000769422
 Revision Date: 04/24/2023

 Version: 1 - 4 / USA
 Date of printing: 05/22/2024

Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

For additional information, contact Product Stewardship.

Revision Date : 04/24/2023

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Heubach makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Heubach's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Heubach's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Heubach products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Heubach.



Colanyl Black N 530

Page 16

Substance key: 000000769422	Revision Date: 04/24/2023
Version: 1 - 4 / USA	Date of printing :05/22/2024